



POWER YOUR DREAMS WITH OUR WIRES



SFT1TM
Safety First

FR Building Wires



Pressfit makes Single Core, Unsheathed, Multi-strand, High Conductivity, plain annealed Copper, Flame Retardant PVC-Insulated Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 90 mtrs.	Code [#]	Pkg.
0.75 sq. mm	24/0.20 [^]	₹ 1293	301-X-1-Y	40 Coils
1.00 sq. mm	14/0.30*	₹ 1625	301-X-2-Y	30 Coils
1.50 sq. mm	22/0.30*	₹ 2482	301-X-3-Y	20 Coils
2.50 sq. mm	36/0.30*	₹ 3944	301-X-5-Y	16 Coils
4.00 sq. mm	56/0.30 [^]	₹ 5906	301-X-6-Y	10 Coils
6.00 sq. mm	84/0.30 [^]	₹ 8736	301-X-7-Y	8 Coils
10.00 sq. mm	140/0.30 [^]	₹ 15079	301-X-8-Y	5 Coils
16.00 sq. mm	126/0.40 [^]	₹ 24395	301-X-9-Y	4 Coils

Note: Coils available in 90 mtrs. (corr. box), 45 mtrs. and 180 mtrs. (poly-bag)

[#]X: Packing - 90m (1), 45m (2), 180m (3)

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

FRLSH Building Wires



Pressfit makes Single Core, Unsheathed, Multi-strand, High Conductivity, plain annealed Copper, Flame Retardant Low Smoke and Low Halogen Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 90 mtrs.	Code [#]	Pkg.
0.75 sq. mm	24/0.20 [^]	₹ 1499	302-X-1-Y	40 Coils
1.00 sq. mm	14/0.30*	₹ 1682	302-X-2-Y	30 Coils
1.50 sq. mm	22/0.30*	₹ 2539	302-X-3-Y	20 Coils
2.50 sq. mm	36/0.30*	₹ 4036	302-X-5-Y	16 Coils
4.00 sq. mm	56/0.30 [^]	₹ 6025	302-X-6-Y	10 Coils
6.00 sq. mm	84/0.30 [^]	₹ 9022	302-X-7-Y	8 Coils
10.00 sq. mm	140/0.30 [^]	₹ 15414	302-X-8-Y	5 Coils
16.00 sq. mm	126/0.40 [^]	₹ 24906	302-X-9-Y	4 Coils

Note: Coils available in 90 mtrs. (corr. box), 45 mtrs. and 180 mtrs. (poly-bag)

[#]X: Packing - 90m (1), 45m (2), 180m (3)

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

AVP FR Building Wires



Affordable, Single Core, Unsheathed, Multi-strand, plain annealed Copper, Flame Retardant PVC-Insulated Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 180 mtrs.	Code	Pkg.
1.00 sq. mm	14/0.30	₹ 2860	30632-Y	15 Coils
1.50 sq. mm	22/0.30	₹ 4382	30633-Y	10 Coils
2.50 sq. mm	36/0.30	₹ 6985	30635-Y	8 Coils
4.00 sq. mm	56/0.30	₹ 10670	30636-Y	5 Coils
6.00 sq. mm	84/0.30	₹ 15952	30637-Y	4 Coils

Note: Coils available in 180 mtrs. (poly-bag)

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

*As per Conductor Class 2 of IS 8130:2013

[^]As per Conductor Class 5 of IS 8130:2013

Standard colours available: Red, Yellow, Blue, Black and Green

Multi-Core Industrial Cables



Pressfit makes multi-strand, annealed bare copper conductor, PVC-Insulated & PVC-sheathed Multi-core round flexible Industrial Cables for working voltages up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / 100 mtrs.			Code#	Pkg.
		2 Core	3 Core	4 Core		
0.50 sq. mm	16/0.20	₹ 2454	₹ 3385	₹ 4593	40-X-00-Y	8 Coils
0.75 sq. mm	24/0.20	₹ 3472	₹ 4737	₹ 6252	40-X-01-Y	8 Coils
1.00 sq. mm	32/0.20	₹ 4214	₹ 5894	₹ 7576	40-X-02-Y	6 Coils
1.50 sq. mm	48/0.20	₹ 6123	₹ 8548	₹ 10959	40-X-03-Y	5 Coils
2.50 sq. mm	80/0.20	₹ 9471	₹ 13539	₹ 18088	40-X-05-Y	4 Coils
4.00 sq. mm	56/0.30	₹ 14520	₹ 20653	₹ 26959	40-X-06-Y	2 Coils
6.00 sq. mm	84/0.30	₹ 21535	₹ 30594	₹ 40182	40-X-07-Y	2 Coils

100 mtrs. Coil
Standard colours: Black and Grey

*X: Packing - 2C (2), 3C (3), 4C (4)
Y: Colour - Black (0), Grey (2)

AVP Submersible Cables



Affordable, 3 Core PVC Insulated and sheathed Industrial Flat cables for Submersible Motors, working voltages up to and including 1100 Volts, as per IS 694 (HSN: 85444920)

Size	Configuration	LP / mtr.	Code
1.50 sq. mm	22/0.30	₹ 76	335030
2.50 sq. mm	36/0.30	₹ 118	335050
4.00 sq. mm	56/0.30	₹ 177	335060
6.00 sq. mm	84/0.30	₹ 255	335070

500 mtrs. Coil
Standard colours available: Red, Yellow, Blue, Black and Green

Aluminium Building Wires



Pressfit makes Single Core, Unsheathed, solid, good Conductivity, Aluminium Building Wires in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85446020)

Size	Configuration SOLID	LP / 90 mtrs.	Code	Pkg.
1.50 sq. mm	-	₹ 406	31903-Y	-
2.50 sq. mm	1/1.82	₹ 619	31905-Y	-
4.00 sq. mm	1/2.26	₹ 783	31906-Y	-
6.00 sq. mm	1/2.79	₹ 1110	31907-Y	-
10.00 sq. mm	1/3.57	₹ 1746	31908-Y	-

Y: Colour - Black (0), Red (4), Blue (5), Green (6), Yellow (7)

Two-Core Solid Aluminium Service Cables



Pressfit makes multi-Core, Unsheathed, solid, good Conductivity, Aluminium Service Cables in voltage grade up to and including 1100 Volts, as per IS 694 (HSN: 85442010)

Size	Configuration SOLID	LP / 90 mtrs.		LP / 450 mtrs. Black	Code#	Pkg. (90 mtrs.)
		White	Black			
2C x 2.50 sq. mm	-	₹ 1500	₹ 1280	₹ 6400	32-X-05-Y	7 Coils
2C x 4.00 sq. mm	1/1.82	₹ 1900	₹ 1670	₹ 8350	32-X-06-Y	6 Coils
2C x 6.00 sq. mm	1/2.26	₹ 2640	₹ 2340	₹ 11700	32-X-07-Y	5 Coils
2C x 10.00 sq. mm	1/2.79	₹ 3960	₹ 3530	₹ 17650	32-X-08-Y	4 Coils
2C x 16.00 sq. mm	1/3.57	₹ 6800	₹ 6020	₹ 30100	32-X-09-Y	2 Coils

*X: Packing - 90m (5), 450m (1)

Y: Colour - Black (0), White (1)

Twin-Twisted Flexible Wires

HSN: 85444920



Size	LP / 90 mtrs.	Code
14/42	₹ 570	397140
18/42	₹ 710	397240
23/42	₹ 880	397340
30/42	₹ 1230	397440
40/42	₹ 1540	397640

Twin-Parallel Flat Cables

HSN: 85444920



Size	LP / 90 mtrs.	Code
14/60	₹ 1090	346110
23/60	₹ 1800	346310

LAN Cable



Pressfit makes Solid bare copper conductor, 4 Pair unshielded twisted pair (UTP) Industrial cable for Computer LAN Networks (HSN: 85444992)

Type	LP / 305 mtrs.	Code
CAT6	₹ 11430	343610

Telephone Pair & Switchboard Cables



Pressfit makes Solid annealed bare copper conductor Industrial Switchboard & Telephone Cables with high density polyethylene insulation, paired, polyester taped, Nylon Rip Cord and Grey colour sheathed with FR PVC, generally conform to ITD specification S/WS 113 C (HSN: 85444992)

Type	LP / 90 mtrs.	Code
2 Pairs	₹ 1160	340120

0.41 mm Bare Copper Tapped with Thread

CCTV Cable



Pressfit makes Annealed Tinned copper conductor, PE insulated, ATC Braided, Polyester tape screened, PVC outer sheathed Industrial CCTV Camera Cables (HSN: 85444920)

Type	LP / 90 mtrs.	Code
3 + 1	₹ 2160	345230
4 + 1	₹ 2390	345240

RG6 Coaxial Cables (CCS)



Pressfit makes solid annealed bare copper conductor gas injected physical polyethylene foam insulated, wrapped with Aluminium Mylar tape and Al alloy wire braided, Jelly flooded and PVC Jacketing in Black Colour, Coaxial Industrial cables (HSN: 85442010)

Type	LP / 90 mtrs.	Code	LP / 300 mtrs.	Code
RG6	₹ 1290	342410	₹ 4510	342430

Transparent Speaker Cables



Pressfit makes Multi-strand annealed bare copper conductor, PVC Insulated Industrial Transparent Speaker Cable (HSN: 85442010)

Size	LP / 90 mtrs.	Code
2C x 0.50 sq. mm	₹ 1050	344900
2C x 0.75 sq. mm	₹ 1700	344910
2C x 1.00 sq. mm	₹ 2880	344920



35 Years of Quality Solutions

We continuously upgrade our products and technology to provide our customers with the best experience. Due to this, the product design, specifications, or packaging, may change without prior notice.

Terms & Conditions:

- 1) Discounted prices (if any) on LP above are exclusive of all taxes.
- 2) This cancels all previous price lists.

Press Fit Pipe And Profile, S. No. 127, Raj Rajeshwari Compound,
Sonale, Bhiwandi, Dist. Thane. Maharashtra - 421 302.
Customer Care: 1800-2121-770
Email: sales@pressfitindia.com

Copyright © 2021 Press Fit Pipe And Profile. All Rights Reserved.

www.pressfitindia.com



Get Pressfit Price Lists Easily

